

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 1 of 10

Creation date: 03.02.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 238 LatoN, Sample cuvette, 1/4

UFI: TMR4-DFEX-080N-SQG5

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sulphuric acid ... %

phosphoric acid; orthophosphoric acid ... %

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 2 of 10

Creation date: 03.02.2005

Pictograms:

Hazard statements

- H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-93-9	sulphuric acid ... %			55-60 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7664-38-2	phosphoric acid; orthophosphoric acid ... %			30-35 %
	231-633-2	015-011-00-6		
	Skin Corr. 1B; H314			
7732-18-5	Water			5-10 %
	231-791-2			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
Specific concentration limits and M-factors			
7664-93-9	231-639-5	sulphuric acid ... %	55-60 %
	Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15		
7664-38-2	231-633-2	phosphoric acid; orthophosphoric acid ... %	30-35 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 3 of 10

Creation date: 03.02.2005

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.
Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Spasm.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 4 of 10

Creation date: 03.02.2005

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.
See also section 5

Further information on handling

Observe label precautions.
Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Laboratory chemicals
Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 5 of 10

Creation date: 03.02.2005

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.
Remove and wash contaminated clothing before re-use.

Respiratory protection

In the case of vapour formation use a respirator with an approved filter.
Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	no data available
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,78 g/cm ³
Bulk density:	no data available
Water solubility: (at 20 °C)	completely soluble

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 6 of 10

Creation date: 03.02.2005

Solubility in other solvents

no data available

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Metals

10.6. Hazardous decomposition products

Sulphur trioxide

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid ... %				
	dermal	LD50 mg/kg	2740	rabbit	IUCLID

Irritation and corrosivity

Causes skin and eye burns.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 7 of 10

Creation date: 03.02.2005

Sensitising effects

No sensitisation responses were observed.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

None known.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid ... %					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.**List of Wastes Code - residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 8 of 10

Creation date: 03.02.2005

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: --
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 9 of 10

Creation date: 03.02.2005



Special Provisions:	A44 A163
Limited quantity Passenger:	1 kg
Passenger LQ:	Y960
Excepted quantity:	E0
IATA-packing instructions - Passenger:	960
IATA-max. quantity - Passenger:	10 kg
IATA-packing instructions - Cargo:	960
IATA-max. quantity - Cargo:	10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 21.09.2020
Safety datasheet sections which have been updated: 8

Revision: 10.07.2018
Safety datasheet sections which have been updated: 8

Revision: 26.06.2018
Safety datasheet sections which have been updated: 8, 15

Revision: 25.04.2018
Safety datasheet sections which have been updated: 3, 8, 16

Revision Date 07.03.2017
Safety datasheet sections which have been updated: 2, 14, 15

Revision: 23.06.2015
Safety datasheet sections which have been updated: 2, 11

Revision: 21.08.2013

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, Sample cuvette, 1/4

Revision date: 21.09.2020

Product code: LCK238-1

Page 10 of 10

Creation date: 03.02.2005

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	On basis of test data
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 1 of 10

Creation date: 06.06.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 238 LatoN, LCK 238 A; 2/4

UFI: 84KJ-TF5X-380Y-F9GV

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium hydroxide; caustic soda

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 2 of 10

Creation date: 06.06.2005

Pictograms:

Hazard statements

- H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P310 Immediately call a POISON CENTER/doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>98 %
	231-791-2			
1310-73-2	Sodium hydroxide; caustic soda			<2 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Skin Corr. 1A; H314			
7757-79-1	Potassium nitrate			<0,1 %
	231-818-8			
	Ox. Sol. 3, Eye Irrit. 2; H272 H319			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
1310-73-2	215-185-5	Sodium hydroxide; caustic soda	<2 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 3 of 10

Creation date: 06.06.2005

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water.
If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion,

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 4 of 10

Creation date: 06.06.2005

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

None known.
See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

In the case of vapour formation use a respirator with an approved filter.

Recommended Filter type: P2

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 5 of 10

Creation date: 06.06.2005

Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 20 °C):		14

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	no data available
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	no data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,03 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 6 of 10

Creation date: 06.06.2005

Evaporation rate: no data available
Solvent separation test: no data available
Solvent content: no data available

9.2. Other information

Solid content: no data available
Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Acids

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7757-79-1	Potassium nitrate				
	oral	LD50 mg/kg	3015	Ratte	

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No sensitisation responses were observed.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 7 of 10

Creation date: 06.06.2005

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	Sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h	Onchorhynchus mykiss	
7757-79-1	Potassium nitrate					
	Acute fish toxicity	LC50	191 mg/l	96 h	Poecilia reticulata	
	Acute crustacea toxicity	EC50	490 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

No data is available on the product itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 8 of 10

Creation date: 06.06.2005

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)
Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: --
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 9 of 10

Creation date: 06.06.2005

IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

N06.00116010

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Water hazard class (D): -- non-hazardous to water

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 12.01.2022

Safety datasheet sections which have been updated: 2, 7, 9

Revision: 30.04.2019

Safety datasheet sections which have been updated: 2, 15

Revision: 25.04.2018

Safety datasheet sections which have been updated: 3, 4, 7

Revision Date 07.03.2017

Safety datasheet sections which have been updated: 2, 14, 15

Revision: 19.05.2015

Safety datasheet sections which have been updated: 11

Revision: 27.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 A; 2/4

Revision date: 12.01.2022

Product code: LCK238-2

Page 10 of 10

Creation date: 06.06.2005

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 238 LatoN, LCK 238 B; 3/4

UFI: QTP5-GF3W-480W-PSM3

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Reproductive toxicity: Repr. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May damage fertility. May damage the unborn child.

May cause respiratory irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 2 of 10

Hazard components for labelling

dipotassium peroxodisulphate; potassium persulphate
Sodium metaborate, tetrahydrate
disodium tetraborate, anhydrous; boric acid, disodium salt

Signal word: Danger

Pictograms:



Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H360FD	May damage fertility. May damage the unborn child.

Precautionary statements

P201	Obtain special instructions before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 3 of 10

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7727-21-1	dipotassium peroxodisulphate; potassium persulphate			65 %
	231-781-8	016-061-00-1		
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335			
7775-19-1	Sodium metaborate			<20 %
	231-891-6			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
1330-43-4	disodium tetraborate, anhydrous; boric acid, disodium salt			15 - < 20 %
	215-540-4	005-011-00-4	01-2119490790-32	
	Repr. 1B; H360FD			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
1330-43-4	215-540-4	disodium tetraborate, anhydrous; boric acid, disodium salt	15 - < 20 %
	Repr. 1B; H360FD: >= 4,5 - 100		

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
disodium tetraborate, anhydrous; boric acid, disodium salt

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.
Never give anything by mouth to an unconscious person.
Obtain medical attention.
Induce vomiting, but only if victim is fully conscious.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Spasm.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 4 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Do not breathe vapours/dust.
Wash thoroughly after handling.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 5 of 10

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7727-21-1	(OLD) Dipotassium peroxodisulphate (measured as [S208])	-	1		TWA (8 h)	OES
1330-43-4	Disodium tetraborate, anhydrous	-	1		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type:

ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: tablet
 Colour: white
 Odour: odourless

pH-Value (at 20 °C): 5,5 (5 % solution)

Changes in the physical state

Melting point: no data available
 Initial boiling point and boiling range: not applicable
 Sublimation point: no data available
 Softening point: not applicable
 Pour point: not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 6 of 10

:	no data available
Flash point:	no data available
Flammability	
Solid:	no data available
Gas:	no data available
Explosive properties	
no data available	
Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	no data available
Gas:	no data available
Decomposition temperature:	no data available
Oxidizing properties	
no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density:	no data available
Bulk density:	no data available
Water solubility: (at 20 °C)	completely soluble
Solubility in other solvents	
no data available	
Partition coefficient:	not applicable
Viscosity / dynamic:	not applicable
Viscosity / kinematic:	not applicable
Flow time:	not applicable
Vapour density:	not applicable
Evaporation rate:	not applicable
Solvent separation test:	no data available
Solvent content:	no data available
<u>9.2. Other information</u>	
Solid content:	no data available
no data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

See also section 10.3

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Acids, Strong oxidizing agents, Heavy metal salts

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 7 of 10

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Under fire conditions:

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate				
	oral	LD50 mg/kg	802	Rat	GESTIS
7775-19-1	Sodium metatobate				
	oral	LD50 mg/kg	2330	rat	

Irritation and corrosivity

May cause eye and skin irritation.

Sensitising effects

May cause sensitisation by inhalation and skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

May impair fertility. May cause harm to the unborn child.

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate					
	Acute fish toxicity	LC50	100 mg/l	96 h	Poecilia reticulata	Hommel

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 8 of 10

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3316
<u>14.2. UN proper shipping name:</u>	Chemical kit
<u>14.3. Transport hazard class(es):</u>	9
<u>14.4. Packing group:</u>	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

<u>14.1. UN number:</u>	UN 3316
<u>14.2. UN proper shipping name:</u>	CHEMICAL KIT
<u>14.3. Transport hazard class(es):</u>	9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 9 of 10

14.4. Packing group:

Hazard label:

II

9



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

--

251, 340

See SP251

SP340

F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

UN 3316

14.2. UN proper shipping name:

CHEMICAL KIT

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A44 A163

1 kg

Y960

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

N06.00116010

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

disodium tetraborate, anhydrous; boric acid, disodium salt

Restrictions on use (REACH, annex XVII):

Entry 30

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 B; 3/4

Revision date: 21.09.2020

Product code: LCK238-3

Page 10 of 10

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 21.09.2020

Safety datasheet sections which have been updated: 2, 11

Revision: 25.04.2018

Safety datasheet sections which have been updated: 3, 15, 16

Revision Date 07.03.2017

Safety datasheet sections which have been updated: 7, 14, 15

Revision: 07.04.2016

Safety datasheet sections which have been updated: 3

Revision: 13.01.2016

Safety datasheet sections which have been updated: 2, 3, 11

Revision: 23.06.2015

Safety datasheet sections which have been updated: 2, 11

Revision: 29.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 1B; H360FD	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H360FD	May damage fertility. May damage the unborn child.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 238 LatoN, LCK 238 D; 4/4

UFI: 4GS4-FFAW-280M-D49T

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 2 of 10

Hazard statements

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>75 %
	231-791-2			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			20 - < 25 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
576-26-1	2,6-xylenol			<1 %
	209-400-1	604-006-00-X		
	Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Aquatic Chronic 2; H311 H301 H314 H411			
123-92-2	isopentyl acetate			<1 %
	204-662-3	607-130-00-2		
	Flam. Liq. 3; H226 EUH066			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 3 of 10

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
Take off all contaminated clothing immediately.
If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.
Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Do not breathe vapours/dust.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 4 of 10

Wash thoroughly after handling.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
123-92-2	Pentyl acetates: Isopentyl acetate	50	270		TWA (8 h)	WEL
		100	541		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Ensure that eye flushing systems and safety showers are located close to the working place.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type:

ABEK-filter

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 5 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: colourless
 Odour: aromatic

pH-Value (at 20 °C): 5,5

Changes in the physical state

Melting point: not applicable
 Initial boiling point and boiling range: 82 °C
 Sublimation point: not applicable
 Softening point: no data available
 Pour point: no data available
 : no data available

Flash point: 26 °C DIN 51755

Sustaining combustion: No data available

Flammability

Solid: no data available
 Gas: no data available

Explosive properties

no data available

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: no data available

Auto-ignition temperature

Solid: no data available
 Gas: no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: (at 20 °C) no data available

Vapour pressure: no data available

Density (at 20 °C): 0,95 g/cm³

Bulk density: not applicable

Water solubility: (at 20 °C) completely soluble

Solubility in other solvents

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 6 of 10

Evaporation rate: no data available
 Solvent separation test: no data available
 Solvent content: no data available

9.2. Other information

Solid content: no data available
 no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 mg/kg	5045	rat	RTECS
	dermal	LD50 mg/kg	12800	rabbit	
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat	
576-26-1	2,6-xylenol				
	oral	LD50 mg/kg	296	Rat	
	dermal	LD50 mg/kg	1000	Rabbit	

Irritation and corrosivity

May cause eye irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 7 of 10

Sensitising effects

No sensitisation responses were observed.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

H336 - May cause drowsiness or dizziness.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

None known.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 mg/l	1400	96 h	Lepomis macrochirus (Bluegill sunfish)	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata (green algae)	IUCLID
	Acute crustacea toxicity	EC50 mg/l	13299	48 h	Daphnia magna (Water flea)	UICLID
576-26-1	2,6-xylenol					
	Acute fish toxicity	LC50	22 mg/l	96 h	Pimephales promelas	
	Acute crustacea toxicity	EC50	11,2 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
576-26-1	2,6-xylenol	2,36

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 8 of 10

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Marine pollutant:	--
Special Provisions:	251, 340
Limited quantity:	See SP251
Excepted quantity:	SP340

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 9 of 10

EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960
IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

N06.00116010

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Restrictions on use (REACH, annex XVII):
Entry 3**Additional information**

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 21.09.2020
Safety datasheet sections which have been updated: 2, 4
Revision: 25.04.2018
Safety datasheet sections which have been updated: 3, 16
Revision Date 10.04.2017
Safety datasheet sections which have been updated: 5

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 238 LatoN, LCK 238 D; 4/4

Revision date: 21.09.2020

Product code: LCK238-5

Page 10 of 10

Revision Date 07.03.2017

Safety datasheet sections which have been updated: 2, 14, 15

Revision: 23.06.2015

Safety datasheet sections which have been updated: 2, 11

Revision: 29.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)