

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LZM 282 Addista-color, solution 1 - 4; 1/2

UFI: DGK4-1F13-M80Y-37H9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

hydrochloric acid ... %

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 2 of 9

Hazard statements

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			> 95%
	231-791-2			
-	hydrochloric acid ... %			< 2,5 %
	231-595-7	017-002-01-X		
	Skin Corr. 1B, STOT SE 3; H314 H335			
16921-30-5	dipotassium hexachloroplatinate			< 1 %
	240-979-3	078-007-00-3		
	Acute Tox. 3, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1; H301 H318 H334 H317			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
-	231-595-7	hydrochloric acid ... %	< 2,5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Take off contaminated clothing and shoes immediately.
 Show this safety data sheet to the doctor in attendance.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 3 of 9

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 4 of 9

Standard solution

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

Additional advice on limit values

Limit values in other countries:

Poland: Exposure limit(s) Co 0,2 mg/m³

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	yellow, red	
Odour:	odourless	
pH-Value (at 20 °C):		1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	no data available
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 5 of 9

Explosive properties

no data available

Lower explosion limits:

not applicable

Upper explosion limits:

not applicable

Ignition temperature:

not applicable

Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

no data available

Oxidizing properties

no data available

Vapour pressure:

no data available

Vapour pressure:

no data available

Density (at 20 °C):

1,0 g/cm³

Bulk density:

no data available

Water solubility:

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

no data available

Corrosive in contact with metals

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 6 of 9

SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity

No toxicology information is available.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
-	hydrochloric acid ... %				
	dermal	LD50 mg/kg	>5010		
16921-30-5	dipotassium hexachloroplatinate				
	oral	ATE mg/kg	100		

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

No known effect.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

No known effect.

Practical experience
Observations relevant to classification

No known effect.

Other observations

No known effect.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

No information on ecology is available.

Should not be released into the environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
-	hydrochloric acid ... %					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 7 of 9

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3316
<u>14.2. UN proper shipping name:</u>	Chemical kit
<u>14.3. Transport hazard class(es):</u>	9
<u>14.4. Packing group:</u>	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 8 of 9

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): Not applicable.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 1 - 4; 1/2

Revision date: 25.05.2020

Product code: LZM282-1

Page 9 of 9

Information according to 2012/18/EU
(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Not applicable.

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 25.05.2020

Safety datasheet sections which have been updated: 7

Revision Date 19.11.2019

Safety datasheet sections which have been updated: 1, 2, 9, 10, 16

Revision Date 13.11.2018

Safety datasheet sections which have been updated: 11, 15, 16

Revision Date 23.03.2017

Safety datasheet sections which have been updated: 2, 9, 15

Revision Date 02.11.2016

Safety datasheet sections which have been updated: 1, 2, 10, 11, 12

Revision Date 10.03.2015

Safety datasheet sections which have been updated: 2, 11

Revision Date 15.01.2013

Safety datasheet sections which have been updated: 8

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LZM 282 Addista-color, solution 5 - 6; 2/2

UFI: AAM4-2FX2-P80W-QNAX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

hydrochloric acid ... %

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 2 of 9

Hazard statements

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

Special labelling of certain mixtures

EUH208 Contains dipotassium hexachloroplatinate. May produce an allergic reaction.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			> 95%
	231-791-2			
-	hydrochloric acid ... %			< 2,5 %
	231-595-7	017-002-01-X		
	Skin Corr. 1B, STOT SE 3; H314 H335			
16921-30-5	dipotassium hexachloroplatinate			< 1 %
	240-979-3	078-007-00-3		
	Acute Tox. 3, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1; H301 H318 H334 H317			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
-	231-595-7	hydrochloric acid ... %	< 2,5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		

SECTION 4: First aid measures
4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 3 of 9

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 4 of 9

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Standard solution

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

Additional advice on limit values

Limit values in other countries:

Poland: Exposure limit(s) Co 0,2 mg/m³

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	yellow, red	
Odour:	odourless	
pH-Value (at 20 °C):		1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	no data available
Sublimation point:	no data available
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 5 of 9

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

no data available

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: no data available

Vapour pressure: no data available

Density (at 20 °C): 1,0 g/cm³

Bulk density: no data available

Water solubility:
(at 20 °C) soluble**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

Corrosive in contact with metals

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 6 of 9

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
-	hydrochloric acid ... %				
	dermal	LD50 mg/kg	>5010		
16921-30-5	dipotassium hexachloroplatinate				
	oral	ATE mg/kg	100		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Contains dipotassium hexachloroplatinate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

No known effect.

Practical experience**Observations relevant to classification**

No known effect.

Other observations

No known effect.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No information on ecology is available.

Should not be released into the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
-	hydrochloric acid ... %					
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus	

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 3316

14.2. UN proper shipping name:

Chemical kit

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Classification code:

M11

Special Provisions:

251 340

Limited quantity:

SP251

Excepted quantity:

SP340

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 8 of 9

Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960
IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LZM 282 Addista-color, solution 5 - 6; 2/2

Revision date: 25.05.2020

Product code: LZM282-2

Page 9 of 9

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC):

Not applicable.

Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

Not applicable.

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 25.05.2020

Safety datasheet sections which have been updated: 7

Revision Date 19.11.2019

Safety datasheet sections which have been updated: 1-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
EUH208	Contains dipotassium hexachloroplatinate. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)