

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 1 of 8

Creation date: 27.06.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 301 Aluminium, Sample cuvette; 1/4

UFI: ADS5-NFTT-A80S-H131

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

1,10-Phenanthroline chloride monohydrate

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 2 of 8

Creation date: 27.06.2005

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
69-65-8	D(-)-Mannitol			>97 %
	200-711-8			
1667-99-8	Chromazurol S			<1 %
	216-787-0			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
18851-33-7	1,10-Phenanthroline chloride monohydrate			<1 %
	223-325-1			
	Acute Tox. 3, Aquatic Acute 1, Aquatic Chronic 1; H301 H400 H410			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
18851-33-7	223-325-1	1,10-Phenanthroline chloride monohydrate	<1 %
	M akut; H400: M=10 M chron.; H410: M=10		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 3 of 8

Creation date: 27.06.2005

product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in a dry, cool place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 4 of 8

Creation date: 27.06.2005

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: lyophilised cake

Colour: reddish-violet

Odour: mild

pH-Value: 6

Changes in the physical state

Melting point: 165 °C

Initial boiling point and boiling range: no data available

Sublimation point: not applicable

Softening point: not applicable

Pour point: not applicable

Flash point: not applicable

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure: not applicable

Density (at 20 °C): 1.02 g/cm³

Bulk density: no data available

Water solubility:
(at 20 °C) completely soluble**Solubility in other solvents**

no data available

Partition coefficient: not applicable

Viscosity / dynamic: not applicable

Viscosity / kinematic: not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 5 of 8

Creation date: 27.06.2005

Flow time: not applicable
Vapour density: not applicable
Evaporation rate: not applicable
Solvent separation test: not applicable
Solvent content: not applicable

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

No data is available on the product itself.

10.5. Incompatible materials

No data is available on the product itself.

10.6. Hazardous decomposition products

No data is available on the product itself.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69-65-8	D(-)-Mannitol				
	oral	LD50 mg/kg	135000	Ratte	
18851-33-7	1,10-Phenanthroline chloride monohydrate				
	oral	LD50 mg/kg	132	rat	NIOSH

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

Aspiration hazard

No aspiration toxicity classification

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 6 of 8

Creation date: 27.06.2005

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
18851-33-7	1,10-Phenanthroline chloride monohydrate					
	Acute fish toxicity	LC50 mg/l	0,091	96 h		
	Acute crustacea toxicity	EC50 mg/l	0,072	48 h		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

In accordance with local and national regulations. Our local agencies will accept used cuvettes to ensure their proper disposal.

Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN 3316

14.2. UN proper shipping name:

Chemical kit

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 7 of 8

Creation date: 27.06.2005

Classification code: M11
 Special Provisions: 251 340
 Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Sample cuvette; 1/4

Revision date: 12.07.2022

Product code: LCK301-1

Page 8 of 8

Creation date: 27.06.2005

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 12.07.2022

Safety datasheet sections which have been updated: 15

Revision: 19.03.2020

Safety datasheet sections which have been updated: 2, 12, 16

Revision: 19.03.2020

Safety datasheet sections which have been updated: 15

Revision Date 07.03.2017

Safety datasheet sections which have been updated: 14

Revision: 12.12.2014

This data sheet contains changes from the previous version in section(s): 2

Revision: 06.11.2013

This data sheet contains changes from the previous version in section(s): 4-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 301 Aluminium, LCK 301 A; 2/4

UFI: G8T5-QFQS-D80Q-4EWP

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - single exposure: STOT SE 1

Hazard Statements:

Flammable liquid and vapour.

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Causes damage to organs.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

methanol

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 2 of 10

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H370 Causes damage to organs.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>50 %
	231-791-2			
631-61-8	Ammonium acetate			20-25 %
	211-162-9			
67-56-1	methanol			15-20 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
67-56-1	200-659-6	methanol	15-20 %
	STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10		

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 3 of 10

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Nausea

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 4 of 10

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry and well-ventilated place.
Keep away from heat and sources of ignition.

Hints on joint storage

Do not store near combustible materials.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

8.2. Exposure controls**Appropriate engineering controls**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: colourless
Odour: alcohol-like
pH-Value (at 20 °C):

7,4

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 5 of 10

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	65 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	30 °C

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature:	no data available
----------------------------	-------------------

Oxidizing properties

no data available

Vapour pressure: (at 20 °C)	128 hPa
--------------------------------	---------

Density (at 20 °C):	1,28 g/cm ³
---------------------	------------------------

Bulk density:	not applicable
---------------	----------------

Water solubility: (at 20 °C)	soluble
---------------------------------	---------

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	not applicable
----------------	----------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

Vapour/air-mixtures are explosive at intense warming.

10.2. Chemical stability

Stable under recommended storage conditions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 6 of 10

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents, Reducing agents, Acids

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Magnesium

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Ingestion may provoke the following symptoms: Nausea, Vomiting, Impairment of vision.

May cause headache and dizziness.

ATEmix calculated

ATE (oral) 1671,3 mg/kg; ATE (inhalation aerosol) 2,786 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-56-1	methanol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 7 of 10

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
631-61-8	Ammonium acetate					
	Acute fish toxicity	LC50	238 mg/l	96 h		
67-56-1	methanol					
	Acute fish toxicity	LC50	15400 mg/l	96 h	Lepomis macrochirus (Bluegill sunfish)	
	Acute algae toxicity	ErC50	22000 mg/l	96 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50	24500 mg/l	48 h	Crustaceans	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

In accordance with local and national regulations. Our local agencies will accept used cuvettes to ensure their proper disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 8 of 10

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 9 of 10

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

N06.00116010

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 69

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 20.04.2021

This data sheet contains changes from the previous version in section(s): 3, 7

Revision: 02.06.2020

This data sheet contains changes from the previous version in section(s): 2, 11

Revision: 19.03.2020

This data sheet contains changes from the previous version in section(s): 15

Revision: 27.12.2017

This data sheet contains changes from the previous version in section(s): 3, 11

Revision: 07.03.2017

This data sheet contains changes from the previous version in section(s): 14

Revision: 12.12.2014

This data sheet contains changes from the previous version in section(s): 2

Revision: 09.12.2013

This data sheet contains changes from the previous version in section(s): 4-16

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 A; 2/4

Revision date: 20.04.2021

Product code: LCK301-2

Page 10 of 10

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Acute Tox. 4; H332	Calculation method
STOT SE 1; H370	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H370	Causes damage to organs.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 301 Aluminium, LCK 301 B; 3/4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements**Additional advice on labelling**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 2 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
50-81-7	Ascorbic acid			<60 %
	200-066-2			
7772-98-7	Sodium thiosulfate			50-<55 %
	231-867-5		01-2119531537-38	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 3 of 8

regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry and well-ventilated place.

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.2. Exposure controls****Appropriate engineering controls**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: powder

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 4 of 8

Colour: colourless
Odour: mild
pH-Value (at 20 °C): 2,1

Changes in the physical state

Melting point: no data available
Initial boiling point and boiling range: not applicable
Sublimation point: no data available
Softening point: no data available
Pour point: no data available
Flash point: not applicable

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits: not applicable
Upper explosion limits: not applicable
Ignition temperature: no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: not applicable
Vapour pressure: not applicable
Density: not applicable
Bulk density: no data available
Water solubility: 350 g/L
(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable
Viscosity / dynamic: not applicable
Viscosity / kinematic: not applicable
Flow time: not applicable
Vapour density: not applicable
Evaporation rate: not applicable
Solvent separation test: not applicable
Solvent content: not applicable

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 5 of 8

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
50-81-7	Ascorbic acid				
	oral	LD50 mg/kg	11900	rat	RTECS
7772-98-7	Sodium thiosulfate				
	oral	LD50 mg/kg	>5000	rat	RTECS

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 6 of 8

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7772-98-7	Sodium thiosulfate					
	Acute fish toxicity	LC50 mg/l	24000	96 h Gambusia affinis (Mosquito fish)	IUCLID	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7772-98-7	Sodium thiosulfate	-4,35

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

In accordance with local and national regulations. Our local agencies will accept used cuvettes to ensure their proper disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 7 of 8



Classification code: M11
 Special Provisions: 251 340
 Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

N06.00116010

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, LCK 301 B; 3/4

Revision date: 20.04.2021

Product code: LCK301-3

Page 8 of 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 20.04..2021
Safety datasheet sections which have been updated: 3, 7
Revision Date 2.06..2020
Safety datasheet sections which have been updated: 2, 11, 15
Revision Date 19.03.2020
Safety datasheet sections which have been updated: 15
Revision Date 03.05.2018
Safety datasheet sections which have been updated: 16
Revision Date 07.03.2017
Safety datasheet sections which have been updated: 2, 14,15

Revision: 12.12.2014

This data sheet contains changes from the previous version in section(s): 2

Revision: 09.12.2013

This data sheet contains changes from the previous version in section(s): 4-16

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 301 Aluminium, Zero solution; 4/4

UFI: 6YU5-UFHQ-H80M-C8JY

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sulphuric acid 1 %, copper sulphate

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 2 of 9

Hazard statements

- H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P391 Collect spillage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>99 %
	231-791-2			
7758-98-7	copper sulphate pentahydrate			<0,5 %
	231-847-6	029-004-00-0		
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H319 H400 H410			
7664-93-9	Sulphuric acid ... %			<0,3 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
7758-98-7	231-847-6	copper sulphate pentahydrate	<0,5 %
		M akut; H400: M=100 M chron.; H410: M=10	
7664-93-9	231-639-5	Sulphuric acid ... %	<0,3 %
		Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15	

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 3 of 9

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 4 of 9

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

Do not store near combustible materials.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	light blue
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	no data available
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 5 of 9

Flash point: not applicable

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure: no data available

Density: no data available

Bulk density: not applicable

Water solubility:
(at 20 °C) soluble**Solubility in other solvents**

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 6 of 9

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7758-98-7	copper sulphate pentahydrate				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7758-98-7	copper sulphate pentahydrate					
	Acute fish toxicity	LC50 0,11 mg/l	96 h	Onchorhynchus mykiss	ECOTOX Database	
	Acute crustacea toxicity	EC50 0,0028 mg/l	48 h	Pimephales promelas (fathead minnow)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 7 of 9

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

In accordance with local and national regulations. Our local agencies will accept used cuvettes to ensure their proper disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 8 of 9

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Marine pollutant:

-

Special Provisions:

251, 340

Limited quantity:

See SP251

Excepted quantity:

SP340

EmS:

F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

UN 3316

14.2. UN proper shipping name:

CHEMICAL KIT

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

A44 A163

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

sulphuric acid 1 %, copper sulphate

14.6. Special precautions for user

N06.00116010

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 301 Aluminium, Zero solution; 4/4

Revision date: 20.04.2021

Product code: LCK301-4

Page 9 of 9

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 20.04.2021

Safety datasheet sections which have been updated: 3, 5, 7

Revision Date 02.06.2020

Safety datasheet sections which have been updated: 2, 4, 11

Revision Date 19.03.2020

Safety datasheet sections which have been updated: 15

Revision Date 27.12.2017

Safety datasheet sections which have been updated: 10, 11

Revision Date 07.03.2017

Safety datasheet sections which have been updated: 7, 14, 15

Revision: 12.12.2014

This data sheet contains changes from the previous version in section(s): 2

Revision: 09.12.2013

This data sheet contains changes from the previous version in section(s): 4-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)